

# PA6 XT – polyamid (nylon)



Varenummer	Materiale	Dimension (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21102005	PA 6 XT NATUR	5	0,1/0,4	0.03
21102006	PA 6 XT NATUR	6		0.04
21102008	PA 6 XT NATUR	8	0,1/0,5	0.06
21102010	PA 6 XT NATUR	10		0.1
21102012	PA 6 XT NATUR	12	0,2/0,7	0.14
21102014	PA 6 XT NATUR	14		0.18
21102015	PA 6 XT NATUR	15		0.22
21102016	PA 6 XT NATUR	16		0.24
21102018	PA 6 XT NATUR	18		0.3
21102020	PA 6 XT NATUR	20		0.37
21102022	PA 6 XT NATUR	22	0,2/0,9	0.46
21102025	PA 6 XT NATUR	25		0.58
21102030	PA 6 XT NATUR	30		0.84
21102032	PA 6 XT NATUR	32	0,2/1,1	1.0
21102035	PA 6 XT NATUR	35		1.2
21102040	PA 6 XT NATUR	40		1.5
21102045	PA 6 XT NATUR	45	0,3/1,3	1.9
21102050	PA 6 XT NATUR	50		2.3
21102055	PA 6 XT NATUR	55		2.9
21102060	PA 6 XT NATUR	60	0,3/1,6	3.4
21102065	PA 6 XT NATUR	65		4.0
21102070	PA 6 XT NATUR	70		4.5
21102075	PA 6 XT NATUR	75	0,4/2,0	5.2
21102080	PA 6 XT NATUR	80		5.9
21102085	PA 6 XT NATUR	85	0,5/2,2	6.8
21102090	PA 6 XT NATUR	90		7.5
21102095	PA 6 XT NATUR	95	0,6/2,5	8.5
21102100	PA 6 XT NATUR	100		9.3
21102110	PA 6 XT NATUR	110	0,7/3,0	11.2
21102120	PA 6 XT NATUR	120	0,8/3,5	13.5
21102125	PA 6 XT NATUR	125		14.5
21102130	PA 6 XT NATUR	130	0,9/3,8	15.7
21102140	PA 6 XT NATUR	140		18.2
21102150	PA 6 XT NATUR	150	1,0/4,2	20.9
21102160	PA 6 XT NATUR	160	1,1/4,5	23.8
21102170	PA 6 XT NATUR	170	1,2/5,0	26.8
21102180	PA 6 XT NATUR	180		30.1
21102200	PA 6 XT NATUR	200	1,3/5,5	37.1
21102220	PA 6 XT NATUR	220	1,3/5,8	45.0
21102250	PA 6 XT NATUR	250	1,5/6,2	58.0
21111008	PA 6 XT SORT	8	0,1/0,5	0.06
21111010	PA 6 XT SORT	10		0.1
21111012	PA 6 XT SORT	12	0,2/0,7	0.14
21111015	PA 6 XT SORT	15		0.22
21111016	PA 6 XT SORT	16		0.24
21111020	PA 6 XT SORT	20		0.37
21111025	PA 6 XT SORT	25	0,2/0,9	0.58
21111030	PA 6 XT SORT	30		0.84
21111032	PA 6 XT SORT	32	0,2/1,1	1.0
21111036	PA 6 XT SORT	36		1.2
21111040	PA 6 XT SORT	40		1.5
21111045	PA 6 XT SORT	45	0,3/1,3	1.9
21111050	PA 6 XT SORT	50		2.3
21111056	PA 6 XT SORT	56		2.9
21111060	PA 6 XT SORT	60	0,3/1,6	3.4
21111065	PA 6 XT SORT	65		4.4
21111070	PA 6 XT SORT	70		4.5
21111075	PA 6 XT SORT	75	0,4/2,0	5.2

# PA6 XT – polyamid (nylon)



# Rundstænger

Fortsat

Varenummer	Materiale	Dimension (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21111080	PA 6 XT SORT	80		5.9
21111090	PA 6 XT SORT	90	0,5/2,2	7.5
21111100	PA 6 XT SORT	100	0,6/2,5	9.3
21111110	PA 6 XT SORT	110	0,7/3,0	11.2
21111120	PA 6 XT SORT	120	0,8/3,5	13.5
21111130	PA 6 XT SORT	130	0,9/3,8	14.63

Standardlængde 1000 mm

Indtil Ø120 mm lagerføres i længde á 3000 mm

# PA6 XT – polyamid (nylon)



Varenummer	Materiale	Diameter (mm)		Tolerance (mm)		Nettovægt (kg/1000 mm)
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
2120202010	PA 6 XT NATUR	20	10	0,4/1,1	-0,4/-1,1	0.31
2120202015	PA 6 XT NATUR	20	15			0.21
2120202512	PA 6 XT NATUR	25	12			0.5
2120202515	PA 6 XT NATUR	25	15			0.4
2120203015	PA 6 XT NATUR	30	15			0.7
2120203020	PA 6 XT NATUR	30	20			0.5
2120203615	PA 6 XT NATUR	35	15	0,6/2,0	-0,6/-2,0	1.1
2120203620	PA 6 XT NATUR	35	20			1.0
2120203625	PA 6 XT NATUR	35	25			0.8
2120204020	PA 6 XT NATUR	40	20			1.2
2120204025	PA 6 XT NATUR	40	25			1.0
2120204030	PA 6 XT NATUR	40	30			0.8
2120204520	PA 6 XT NATUR	45	20			1.6
2120204525	PA 6 XT NATUR	45	25			1.4
2120204530	PA 6 XT NATUR	45	30			1.2
2120205020	PA 6 XT NATUR	50	20			2.1
2120205025	PA 6 XT NATUR	50	25			1.9
2120205030	PA 6 XT NATUR	50	30			1.6
2120205040	PA 6 XT NATUR	50	40			1.0
2120205625	PA 6 XT NATUR	55	25	0,8/2,5	-0,8/-2,5	2.5
2120205630	PA 6 XT NATUR	55	30			2.3
2120205640	PA 6 XT NATUR	55	40			1.7
2120206020	PA 6 XT NATUR	60	20			3.1
2120206030	PA 6 XT NATUR	60	30			2.7
2120206040	PA 6 XT NATUR	60	40			2.1
2120206050	PA 6 XT NATUR	60	50			1.3
2120206530	PA 6 XT NATUR	65	30	0,8/3,0	-0,8/-3,0	3.3
2120206540	PA 6 XT NATUR	65	40			2.7
2120206550	PA 6 XT NATUR	65	50			1.9
2120207030	PA 6 XT NATUR	70	30			4.0
2120207040	PA 6 XT NATUR	70	40			3.4
2120207050	PA 6 XT NATUR	70	50			2.6
2120207540	PA 6 XT NATUR	75	40			4.1
2120207550	PA 6 XT NATUR	75	50			3.3
2120208030	PA 6 XT NATUR	80	30			5.4
2120208040	PA 6 XT NATUR	80	40			4.8
2120208050	PA 6 XT NATUR	80	50			4.0
2120208060	PA 6 XT NATUR	80	60			3.0
2120208540	PA 6 XT NATUR	85	40			5.65
2120209040	PA 6 XT NATUR	90	40	1,2/3,6	-1,6/-5,0	6.5
2120209050	PA 6 XT NATUR	90	50			5.8
2120209060	PA 6 XT NATUR	90	60			4.8
2120209070	PA 6 XT NATUR	90	70			3.7
2120210040	PA 6 XT NATUR	100	40			8.3
2120210050	PA 6 XT NATUR	100	50			7.5
2120210060	PA 6 XT NATUR	100	60			6.6
2120210070	PA 6 XT NATUR	100	70			5.5
2120210080	PA 6 XT NATUR	100	80			4.2
2120211050	PA 6 XT NATUR	110	50			9.5
2120211060	PA 6 XT NATUR	110	60			8.6
2120211090	PA 6 XT NATUR	110	90			4.7
2120211580	PA 6 XT NATUR	115	80	1,5/4,5	-2,0/-6,5	7.1
2120212060	PA 6 XT NATUR	120	60			10.9
2120212070	PA 6 XT NATUR	120	70			9.8
2120212080	PA 6 XT NATUR	120	80			8.5
2120212560	PA 6 XT NATUR	125	60			12.1
2120212590	PA 6 XT NATUR	125	90			8.2
2120212500	PA 6 XT NATUR	125	100			6.6

# PA6 XT – polyamid (nylon)



Fortsat

Varenummer	Materiale	Dimension (mm)		Tolerance (mm)		Nettovægt (kg/1000 mm)
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
2120213080	PA 6 XT NATUR	130	80			10.9
2120214000	PA 6 XT NATUR	140	100			10.3
2120214080	PA 6 XT NATUR	140	80			13.4
2120215000	PA 6 XT NATUR	150	100			12.9
2120215080	PA 6 XT NATUR	150	80			16.1
2120216020	PA 6 XT NATUR	160	120	1,8/5,4	-2,2/-7,5	12.3
2120220000	PA 6 XT NATUR	200	100			29.7
2121103020	PA 6 XT SORT	30	20	0,4/1,1	-0,4/-1,1	0.5
2121105030	PA 6 XT SORT	50	30	0,6/2,0	-0,6/-2,0	1.6
2121106030	PA 6 XT SORT	60	30	0,8/2,5	-0,8/-2,5	2.7
2121106040	PA 6 XT SORT	60	40			2.1
2121106530	PA 6 XT SORT	65	30	0,8/3,0	-0,8/-3,0	3.3
2121106540	PA 6 XT SORT	65	40			2.7
2121107050	PA 6 XT SORT	70	50			2.61
2121107540	PA 6 XT SORT	75	40			4.1
2121108040	PA 6 XT SORT	80	40			4.8
2121108060	PA 6 XT SORT	80	60			3.04

Standardlængde 1000 mm

Indtil Ø120 mm lagerføres i længde á 3000 mm

# PA6 XT – polyamid (nylon)



Varenummer	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt (kg/plade)
		tykkelse	bredde	længde		
2140200120	PA6 XT PLADE NATUR	1	1000	2000	-0,1/0,1	2.4
21402001520	PA6 XT PLADE NATUR	1.5	1000	2000	-0,2/0,2	3.6
2140200220	PA6 XT PLADE NATUR	2	1000	2000		4.6
2140200320	PA6 XT PLADE NATUR	3	1000	2000		7.0
2140200420	PA6 XT PLADE NATUR	4	1000	2000		9.4
2140200520	PA6 XT PLADE NATUR	5	1000	2000	-0,3/0,3	11.8
2140200620	PA6 XT PLADE NATUR	6	1000	2000		14.0
2140200820	PA6 XT PLADE NATUR	8	610	2000	0,2/0,9	13.0
2140201020	PA6 XT PLADE NATUR	10	610	2000		16.0
2140201030	PA6 XT PLADE NATUR	10	610	3000		24.0
2140201220	PA6 XT PLADE NATUR	12	610	2000	0,3/1,5	19.6
2140201620	PA6 XT PLADE NATUR	15	610	2000		24,3
2140201630	PA6 XT PLADE NATUR	15	610	3000		36.4
2140202020	PA6 XT PLADE NATUR	20	610	2000		31.6
2140202030	PA6 XT PLADE NATUR	20	610	3000		47.4
2140202520	PA6 XT PLADE NATUR	25	610	2000		39.0
2140203020	PA6 XT PLADE NATUR	30	610	2000	0,5/2,5	46.4
2140203620	PA6 XT PLADE NATUR	35	610	2000		55.0
2140204020	PA6 XT PLADE NATUR	40	610	2000		62.6
2140204520	PA6 XT PLADE NATUR	45	610	2000		67.5
2140205020	PA6 XT PLADE NATUR	50	610	2000		77.4
2140206020	PA6 XT PLADE NATUR	60	610	2000	0,5/3,5	93.6
2140207020	PA6 XT PLADE NATUR	70	610	2000	0,5/5,0	108.4
2140208020	PA6 XT PLADE NATUR	80	610	2000		123.2
2140210020	PA6 XT PLADE NATUR	100	610	2000		151.2
2141100820	PA6 XT PLADE SORT	8	610	2000	0,2/0,9	13.0
2141101020	PA6 XT PLADE SORT	10	610	2000		16.0
2141101220	PA6 XT PLADE SORT	12	610	2000	0,3/1,5	19.8
2141101620	PA6 XT PLADE SORT	15	610	2000		24.3
2141101630	PA6 XT PLADE SORT	15	610	3000		36.4
2141102020	PA6 XT PLADE SORT	20	610	2000		31.6
2141102520	PA6 XT PLADE SORT	25	610	2000		39.0
2141103020	PA6 XT PLADE SORT	30	610	2000	0,5/2,5	46.4
2141103030	PA6 XT PLADE SORT	30	610	3000		69.6
2141104020	PA6 XT PLADE SORT	40	610	2000		62.6
2141105020	PA6 XT PLADE SORT	50	610	2000		77.4

Leveres også i længder á 1000 mm

# PA6 GS – polyamid (nylon)



# Rundstænger

Varenummer	Materiale	Diameter (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21702020	PA 6 GS NATUR	20	0,5/2,0	0,40
21702030	PA 6 GS NATUR	30		0,90
21702035	PA 6 GS NATUR	35		1,20
21702040	PA 6 GS NATUR	40	1,0/3,0	1,50
21702045	PA 6 GS NATUR	45		1,90
21702050	PA 6 GS NATUR	50		2,50
21702055	PA 6 GS NATUR	55		2,80
21702060	PA 6 GS NATUR	60	1,0/4,0	3,60
21702065	PA 6 GS NATUR	65		4,20
21702070	PA 6 GS NATUR	70		4,80
21702075	PA 6 GS NATUR	75		5,50
21702080	PA 6 GS NATUR	80		6,20
21702090	PA 6 GS NATUR	90		7,80
21702100	PA 6 GS NATUR	100		9,60
21702110	PA 6 GS NATUR	110	1,5/5,0	11,80
21702120	PA 6 GS NATUR	120		13,90
21702125	PA 6 GS NATUR	125		15,10
21702130	PA 6 GS NATUR	130		16,30
21702140	PA 6 GS NATUR	140		18,80
21702150	PA 6 GS NATUR	150		21,50
21702160	PA 6 GS NATUR	160	2,0/7,0	24,80
21702170	PA 6 GS NATUR	170		27,90
21702180	PA 6 GS NATUR	180		31,20
21702190	PA 6 GS NATUR	190		34,70
21702200	PA 6 GS NATUR	200		38,30
21702210	PA 6 GS NATUR	210	3,0/9,0	42,50
21702220	PA 6 GS NATUR	220		46,80
21702230	PA 6 GS NATUR	230		51,10
21702240	PA 6 GS NATUR	240		55,50
21702250	PA 6 GS NATUR	250		60,10
21702260	PA 6 GS NATUR	260		64,90
21702270	PA 6 GS NATUR	270		69,60
21702280	PA 6 GS NATUR	280		74,50
21702290	PA 6 GS NATUR	290		84,00
21702300	PA 6 GS NATUR	300		85,80
21702325	PA 6 GS NATUR	325	4,0/11,0	101,40
21702350	PA 6 GS NATUR	350		117,20
21702380	PA 6 GS NATUR	380		138,00
21702400	PA 6 GS NATUR	400		153,00
21702450	PA 6 GS NATUR	450	5,0/13,0	196,00
21702500	PA 6 GS NATUR	500		243,00
21711040	PA 6 GS SORT	40	1,0/3,0	1,50
21711050	PA 6 GS SORT	50		2,50
21711060	PA 6 GS SORT	60	1,0/4,0	3,60
21711070	PA 6 GS SORT	70		4,80
21711080	PA 6 GS SORT	80		6,20
21711090	PA 6 GS SORT	90		7,80
21711100	PA 6 GS SORT	100		6,90
21711110	PA 6 GS SORT	110	1,5/5,0	11,80
21711120	PA 6 GS SORT	120		13,90
21711130	PA 6 GS SORT	130		16,30
21711140	PA 6 GS SORT	140		18,80
21711150	PA 6 GS SORT	150		21,50
21711160	PA 6 GS SORT	160	2,0/7,0	24,80
21711180	PA 6 GS SORT	180		31,20
21711200	PA 6 GS SORT	200		38,30
21711210	PA 6 GS SORT	210	3,0/9,0	42,50
21711220	PA 6 GS SORT	220		46,80

Standardlængde 1000 mm

# PA6 GS – polyamid (nylon)



Varenummer	Materiale	Diameter (mm)		Tolerance (mm)		Enhed
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
4170208560	PA 6 GS NATUR	85	60	2,0/5,0	-2,0/-10,0	M.
4170209560	PA 6 GS NATUR	95	60			M.
4170210040	PA 6 GS NATUR	100	40			M.
4170210050	PA 6 GS NATUR	100	50			M.
4170211070	PA 6 GS NATUR	110	70			M.
4170211080	PA 6 GS NATUR	110	80			M.
4170211570	PA 6 GS NATUR	115	70			M.
4170212080	PA 6 GS NATUR	120	80	2,0/7,0	-2,0/-10,0	M.
4170212090	PA 6 GS NATUR	120	90			M.
4170212365	PA 6 GS NATUR	123	65			M.
4170212500	PA 6 GS NATUR	125	100			M.
4170212510	PA 6 GS NATUR	125	110			M.
4170214000	PA 6 GS NATUR	140	100			M.
4170214070	PA 6 GS NATUR	140	70			M.
4170214090	PA 6 GS NATUR	140	90			M.
4170215080	PA 6 GS NATUR	150	80			M.
4170215030	PA 6 GS NATUR	150	130			M.
4170216040	PA 6 GS NATUR	160	140	2,0/8,0	-2,0/-10,0	M.
4170217080	PA 6 GS NATUR	170	80			M.
4170217020	PA 6 GS NATUR	170	120			M.
4170218010	PA 6 GS NATUR	180	110			M.
4170218030	PA 6 GS NATUR	180	130			M.
4170220030	PA 6 GS NATUR	200	130	2,0/9,0	-2,0/-10,0	M.
4170220050	PA 6 GS NATUR	200	150			M.
4170221040	PA 6 GS NATUR	210	140			M.
4170221290	PA 6 GS NATUR	212	190			M.
4170221600	PA 6 GS NATUR	216	200	2,0/9,0	-3,0/-10,0	M.
4170224000	PA 6 GS NATUR	240	200			M.
4170224020	PA 6 GS NATUR	240	220			M.
4170225010	PA 6 GS NATUR	250	210			M.
4170228080	PA 6 GS NATUR	280	180			M.
4170230693	PA 6 GS NATUR	306	293	3,0/11,0	-3,0/-12,0	M.
4170231060	PA 6 GS NATUR	310	260			M.
4170232030	PA 6 GS NATUR	320	230			M.
4170232072	PA 6 GS NATUR	320	272			M.
4170237020	PA 6 GS NATUR	370	320	3,0/11,0	-3,0/-14,0	M.
4171108050	PA 6 GS SORT	80	50	2,0/5,0	-2,0/-10,0	M.
4171125060	PA 6 GS SORT	250	160	2,0/9,0	-2,0/-10,0	M.

Standard længde 1000 mm

# PA6 GS – polyamid (nylon)



Varenummer mm	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt kg/plade
		tykkelse	bredde	længde		
2180200820	PA 6 GS PLADE NATUR	8	1000	2000	1,0/1,7	22,00
2180201020	PA 6 GS PLADE NATUR	10	1000	2000		26,60
2180201220	PA 6 GS PLADE NATUR	12	1000	2000		31,40
2180201520	PA 6 GS PLADE NATUR	15	1000	2000	1,0/2,5	40,00
2180202020	PA 6 GS PLADE NATUR	20	1000	2000		51,40
2180202520	PA 6 GS PLADE NATUR	25	1000	2000		63,00
2180203020	PA 6 GS PLADE NATUR	30	1000	2000	1,0/3,5	76,40
2180203520	PA 6 GS PLADE NATUR	35	1000	2000		97,00
2180204020	PA 6 GS PLADE NATUR	40	1000	2000		99,80
2180205020	PA 6 GS PLADE NATUR	50	1000	2000	1,0/5,0	123,40
2180205520	PA 6 GS PLADE NATUR	55	1000	2000		140,00
2180206020	PA 6 GS PLADE NATUR	60	1000	2000		149,20
2180207020	PA 6 GS PLADE NATUR	70	1000	2000		173,80
2180208020	PA 6 GS PLADE NATUR	80	1000	2000	2,0/6,0	197,40
2180210020	PA 6 GS PLADE NATUR	100	1000	2000		244,20

Bredde 1220 mm kan skaffes fra værk.



Varenummer	Materiale	Diameter (mm) Ø	Tolerance (mm) Ø	Nettovægt kg/1000 mm
21911020	OILAMID GS SORT	20	0,6/2,0	0,40
21911025	OILAMID GS SORT	25		0,60
21911030	OILAMID GS SORT	30		0,90
21911035	OILAMID GS SORT	35		1,20
21911040	OILAMID GS SORT	40	1,0/3,0	1,50
21911045	OILAMID GS SORT	45		1,90
21911050	OILAMID GS SORT	50		2,50
21911055	OILAMID GS SORT	55		2,80
21911060	OILAMID GS SORT	60	1,0/4,0	3,60
21911065	OILAMID GS SORT	65		4,20
21911070	OILAMID GS SORT	70		4,80
21911075	OILAMID GS SORT	75		5,50
21911080	OILAMID GS SORT	80		6,20
21911085	OILAMID GS SORT	85		7,00
21911090	OILAMID GS SORT	90		7,80
21911100	OILAMID GS SORT	100		9,60
21911110	OILAMID GS SORT	110	1,5/5,0	11,80
21911120	OILAMID GS SORT	120		13,90
21911130	OILAMID GS SORT	130		16,30
21911140	OILAMID GS SORT	140		18,80
21911150	OILAMID GS SORT	150		21,50
21911160	OILAMID GS SORT	160	2,0/7,0	24,80
21911170	OILAMID GS SORT	170		27,90
21911180	OILAMID GS SORT	180		31,20
21911200	OILAMID GS SORT	200		38,30
21911250	OILAMID GS SORT	250	3,0/9,0	59,80
21911270	OILAMID GS SORT	270		69,60

Standard længde 1000 mm

# PA6 GS m/olie – polyamid (nylon)



Varenummer mm	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt kg/plade
		tykkelse	bredde	længde		
2191100820	OILAMID GS PLADE SORT	8	1000	2000	0,5/1,7	23,00
2191101020	OILAMID GS PLADE SORT	10	1000	2000		27,00
2191101220	OILAMID GS PLADE SORT	12	1000	2000		32,00
2191101520	OILAMID GS PLADE SORT	15	1000	2000	0,5/2,5	40,00
2191101620	OILAMID GS PLADE SORT	16	1000	2000		43,00
2191102020	OILAMID GS PLADE SORT	20	1000	2000		52,00
2191102520	OILAMID GS PLADE SORT	25	1000	2000		64,00
2191103020	OILAMID GS PLADE SORT	30	1000	2000	0,5/3,5	77,00
2191104020	OILAMID GS PLADE SORT	40	1000	2000		102,00
2191105020	OILAMID GS PLADE SORT	50	1000	2000	1,0/5,0	127,00
2191106020	OILAMID GS PLADE SORT	60	1000	2000		177,00

Brede 1220 mm kan skaffes fra værk.